

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 19/05/2022 Revision date: 11/06/2026 Supersedes version of: 11/03/2025 Version: 2.6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Name : Hydrochloric Acid  
Trade name : Hydrochloric acid 34-37% TGR for trace analysis (ppb)  
UFI : 9E20-20MT-G00R-C8FQ  
EC Index-No. : 017-002-01-X  
EC-No. : 231-595-7  
CAS-No. : 7647-01-0  
Product code : CHAC-TGR  
Formula : ClH

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Laboratory use

#### 1.3. Details of the supplier of the safety data sheet

No additional information available

#### 1.4. Emergency telephone number

Country/Area	Organisation	Emergency number
United Kingdom	National Poisons Information Service (Belfast Centre). Royal Victoria Hospital. Grosvenor Road BT12 6BA Belfast.	0344 892 0111 Only for healthcare professionals

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290  
Skin corrosion/irritation, Category 1, Sub-Category 1B H314  
Specific target organ toxicity – Single exposure, Category 3, H335  
Respiratory tract irritation

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

Danger

Contains :

hydrogen chloride

Hazard statements (CLP) :

H290 - May be corrosive to metals.  
H314 - Causes severe skin burns and eye damage.  
H335 - May cause respiratory irritation.

Precautionary statements (CLP) :

P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

### 2.3. Other hazards

Other hazards which do not result in classification : Does not contain PBT and/or vPvB substances  $\geq 0.1\%$  evaluated according to Annex XIII of REACH.

PBT: not relevant – no registration required

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrogen chloride	CAS-No.: 7647-01-0 EC-No.: 231-595-7 EC Index-No.: 017-002-00-2	5-38	Press. Gas Acute Tox. 3 (Inhalation), H331 Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Get immediate medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Symptoms/effects after eye contact	: Risk of serious damage to eyes.
Symptoms/effects after ingestion	: Burns to the gastric/intestinal mucosa. Ingestion may cause nausea and vomiting.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Making extinguishing agents environment-friendly.
Unsuitable extinguishing media	: Do not use a heavy water stream.

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area.

#### For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Do not allow to enter drains or water courses.

### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Collect spillage.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Section 8. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Keep containers closed.  
Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe vapours. Wear personal protective equipment.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight. Store in a well-ventilated place. Keep container tightly closed.

#### Switzerland

Storage class (LK) : LK 8 - Corrosive materials

### 7.3. Specific end use(s)

Laboratory chemicals.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

National occupational exposure and biological limit values

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrogen chloride (7647-01-0)	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Hydrogen chloride
IOEL TWA	8 mg/m <sup>3</sup>
	5 ppm
IOEL STEL	15 mg/m <sup>3</sup>
	10 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
<b>Estonia - Occupational Exposure Limits</b>	
Local name	Vesinikloriid
OEL TWA	8 mg/m <sup>3</sup>
	5 ppm
OEL STEL	15 mg/m <sup>3</sup>
	10 ppm
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 02.04.2024, 13)
<b>France - Occupational Exposure Limits</b>	
Local name	Chlorure d'hydrogène (Acide chlorhydrique)
VLEP CT (OEL STEL)	7,6 mg/m <sup>3</sup>
	5 ppm
Remark	Valeurs réglementaires contraignantes
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 6443, 2022; Outil65; Décret n° 2019-1487; Décret n° 2020-1546; Décret n° 2021-434; Décret n° 2021-1849; Décret n° 2024-307)
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
Local name	Hydrogenchlorid
AGW (OEL TWA)	3 mg/m <sup>3</sup>
	2 ppm
Peak exposure limitation factor	2(l)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900
<b>Greece - Occupational Exposure Limits</b>	
Local name	Υδροχλώριο
OEL TWA	7 mg/m <sup>3</sup>
	5 ppm
OEL STEL	7 mg/m <sup>3</sup>
	5 ppm
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrogen chloride (7647-01-0)	
<b>Italy - Occupational Exposure Limits</b>	
Local name	Acido cloridrico
OEL TWA	8 mg/m <sup>3</sup>
	5 ppm
OEL STEL	15 mg/m <sup>3</sup>
	10 ppm
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i. (D.Lgs. 4 settembre 2024, n. 135)
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Hlorūdeņradis
OEL TWA	8 mg/m <sup>3</sup>
	5 ppm
OEL STEL	15 mg/m <sup>3</sup>
	10 ppm
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2024. gada 26. martā noteikumiem Nr. 191).
<b>Lithuania - Occupational Exposure Limits</b>	
Local name	Vandenilio chloridas
IPRV (OEL TWA)	8 mg/m <sup>3</sup>
	5 ppm
TPRV (OEL STEL)	15 mg/m <sup>3</sup>
	10 ppm
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
<b>Portugal - Occupational Exposure Limits</b>	
Local name	Ácido clorídrico
OEL C	2 mg/m <sup>3</sup>
Remark	A4 (Agente não classificável como carcinogénico no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014
<b>Romania - Occupational Exposure Limits</b>	
Local name	Acid clorhidric/Clorură de hidrogen
OEL TWA	8 mg/m <sup>3</sup>
	5 ppm
OEL STEL	15 mg/m <sup>3</sup>
	10 ppm
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 179/2024)
<b>Sweden - Occupational Exposure Limits</b>	
Local name	Saltsyra (Väteklorid)
NGV (OEL TWA)	3 mg/m <sup>3</sup>
	2 ppm
KGV (OEL STEL)	6 mg/m <sup>3</sup>

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrogen chloride (7647-01-0)	
	4 ppm
Regulatory reference	Arbetsmiljöverkets föreskrifter och allmänna råd (AFS 2023:14) om gränsvärden för luftvägsexponering i arbetsmiljön
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen chloride
WEL TWA (OEL TWA)	2 mg/m <sup>3</sup> gas and aerosol mists 1 ppm gas and aerosol mists
WEL STEL (OEL STEL)	8 mg/m <sup>3</sup> gas and aerosol mists 5 ppm gas and aerosol mists
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Norway - Occupational Exposure Limits	
Local name	Hydrogenklorid (Saltsyre)
Takverdi (OEL C)	7 mg/m <sup>3</sup> 5 ppm
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2025-12-18-2660

### DNEL and PNEC

Hydrochloric acid 34-37% TGR for trace analysis (ppb) (7647-01-0)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	15 mg/m <sup>3</sup>
Long-term - local effects, inhalation	8 mg/m <sup>3</sup>
PNEC (Water)	
PNEC aqua (freshwater)	36 µg/l
PNEC aqua (marine water)	36 µg/l
PNEC aqua (intermittent, freshwater)	45 µg/l
PNEC (STP)	
PNEC sewage treatment plant	36 µg/l

## 8.2. Exposure controls

### Personal protection equipment

#### Personal protective equipment:

ISO 374-1.

#### Personal protective equipment symbol(s):



### Eye and face protection

#### Eye protection:

Protective goggles (EN 166)

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye protection			
Type	Field of application	Characteristics	Standard
			EN 166

### Skin protection

#### Skin and body protection:

Protective clothing

Skin and body protection	
Type	Standard
Protective clothing	

#### Hand protection:

Protective gloves against chemicals (EN 374). Nitrile rubber (NBR) /

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR)		>0.4 mm		

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Molecular mass	: 36,461 g/mol
Odour	: strong.
Odour threshold	: Not available
Melting point	: -114,22 °C
Freezing point	: Not available
Boiling point	: 90 °C
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: < 1
Viscosity, kinematic	: Not available
Solubility	: completely soluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 23 hPa (CAS: 7732-18-5 Water)
Vapour pressure at 50°C	: Not available
Density	: 1,15 g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

May be corrosive to metals.

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

alkaline medium. Oxidizing materials. Reacts violently with water. Heavy metals.

### 10.4. Conditions to avoid

Moisture.

### 10.5. Incompatible materials

Bases. Acids. alkali metals. Oxidizing agent.

### 10.6. Hazardous decomposition products

Toxic vapours are released.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Toxic if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Hydrochloric acid 34-37% TGR for trace analysis (ppb) (7647-01-0)

LD50 oral	900 mg/kg
Skin corrosion/irritation	: Causes severe skin burns. pH: < 1
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: < 1
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### 11.2. Information on other hazards

#### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The product does not meet the criteria due to its endocrine-disrupting properties.

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### Hydrochloric acid 34-37% TGR for trace analysis (ppb) (7647-01-0)

EC50 - Crustacea [1]	100 – 330 ppm
EC50 - Other aquatic organisms [1]	240 mg/l

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### Hydrochloric acid 34-37% TGR for trace analysis (ppb) (7647-01-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### hydrogen chloride (7647-01-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Hydrochloric acid 34-37% TGR for trace analysis (ppb) (7647-01-0)

PBT: not relevant – no registration required

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or rivers.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Must follow special treatment according to local regulation.  
European List of Waste (LoW, EC 2000/532) : 06 00 00 - WASTES FROM INORGANIC CHEMICAL PROCESSES  
06 01 00 - wastes from the manufacture, formulation, supply and use (MFSU) of acids  
06 01 02\* - hydrochloric acid  
06 13 00 - wastes from inorganic chemical processes not otherwise specified  
06 13 99 - wastes not otherwise specified  
HP Code : HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.  
HP8 - "Corrosive:" waste which on application can cause skin corrosion.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR)	: UN 1789
UN-No. (IMDG)	: UN 1789
UN-No. (IATA)	: UN 1789
UN-No. (ADN)	: UN 1789
UN-No. (RID)	: UN 1789

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: HYDROCHLORIC ACID
Proper Shipping Name (IMDG)	: HYDROCHLORIC ACID
Proper Shipping Name (IATA)	: Hydrochloric acid
Proper Shipping Name (ADN)	: HYDROCHLORIC ACID
Proper Shipping Name (RID)	: HYDROCHLORIC ACID
Transport document description (ADR) (ADR)	: UN 1789 HYDROCHLORIC ACID, 8, II, (E)
Transport document description (IMDG)	: UN 1789 HYDROCHLORIC ACID, 8, II
Transport document description (IATA)	: UN 1789 Hydrochloric acid, 8, II
Transport document description (ADN)	: UN 1789 HYDROCHLORIC ACID, 8, II
Transport document description (RID)	: UN 1789 HYDROCHLORIC ACID, 8, II

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



#### IMDG

Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8



#### IATA

Transport hazard class(es) (IATA)	: 8
Danger labels (IATA)	: 8



#### ADN

Transport hazard class(es) (ADN)	: 8
Danger labels (ADN)	: 8



#### RID

Transport hazard class(es) (RID)	: 8
Danger labels (RID)	: 8



### 14.4. Packing group

Packing group (ADR)	: II
Packing group (IMDG)	: II
Packing group (IATA)	: II

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing group (ADN) : II  
Packing group (RID) : II


### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : C1  
Special provisions (ADR) : 520  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P001, IBC02  
Mixed packing provisions (ADR) : MP15  
Portable tank and bulk container instructions (ADR) : T8  
Portable tank and bulk container special provisions (ADR) : TP2  
Tank code (ADR) : L4BN  
Tank special provisions (ADR) : TU42  
Vehicle for tank carriage : AT  
Transport category (ADR) : 2  
Hazard identification number (Kemler No.) : 80  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 2R

#### Transport by sea

Limited quantities (IMDG) : 1 L  
Excepted quantities (IMDG) : E2  
Packing instructions (IMDG) : P001  
IBC packing instructions (IMDG) : IBC02  
IBC special provisions (IMDG) : B20  
Tank instructions (IMDG) : T8  
Tank special provisions (IMDG) : TP2  
Stowage category (IMDG) : C  
Segregation (IMDG) : SGG1, SG36, SG49  
Properties and observations (IMDG) : Colourless liquid. An aqueous solution of the gas hydrogen chloride. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.

#### Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y840  
PCA limited quantity max net quantity (IATA) : 0.5L  
PCA packing instructions (IATA) : 851  
PCA max net quantity (IATA) : 1L  
CAO packing instructions (IATA) : 855  
CAO max net quantity (IATA) : 30L  
Special provisions (IATA) : A3, A803  
ERG code (IATA) : 8L

#### Inland waterway transport

Classification code (ADN) : C1  
Special provisions (ADN) : 520  
Limited quantities (ADN) : 1 L

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: C1
Special provisions (RID)	: 520
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T8
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Special provisions for RID tanks (RID)	: TU42
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (EC 273/2004)

Listed on the Drug Precursors list (EU)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Hydrochloric acid	Hydrogen chloride	7647-01-0	2806 10 00	Category 3		Annex I
Hydrochloric acid	Hydrogen chloride	7647-01-0	2806 10 00	Category 3		Annex I

### National regulations

#### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

#### France

Occupational diseases	
Code	Description
RG 66	Occupational rhinitis and asthma

#### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Poland

#### Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).  
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).  
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).  
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).  
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).  
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).  
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)  
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).  
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).  
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)  
Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as amended)

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Press. Gas	Gases under pressure
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Safety Data Sheet (SDS), EU

# Hydrochloric acid 34-37% TGR for trace analysis (ppb)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

---

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.