

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date of issue: 09/03/2022 Revision date: 21/02/2019 Supersedes version of: 21/02/2019 Version: 1.5

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture

Name Alkaline cleaning agent Labkem Cleaner A102 for automatic washing, phosphate free Trade name Alkaline cleaning agent Labkem Cleaner A102 for automatic washing, phosphate free, AUX

Product code Type of product : Detergent

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Laboratory use, Detergent

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

labbox labware s.l.

Migjorn, 1

P.O. Box Barcelona (SPAIN) 08338 Premia de Dalt - SPAIN

T +34 937 07 79 70 - F +34 937 909 532 info@labbox.com - www.labbox.com

#### 1.4. Emergency telephone number

: +34 937 077 970 (Technic information.Office hours.) Servicio de Información Toxicológica Emergency number

(Instituto Nacional de Toxicología y Ciencias Forenses) Teléfono: +34 91 5620420.Información en español (24h/365 días). Únicamente con la finalidad de

proporcionar respuesta sanitaria en caso de urgencia (ONLY IN CASE OF EMERGENCY)"

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314

Full text of H and EUH statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

Contains POTASSIUM CARBONATE, SODIUM HYDROXIDE, SODIUM HYPOCHLORITE

Hazard statements (CLP) H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309+P311 - IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
POTASSIUM CARBONATE	CAS-No.: 584-08-7 EC-No.: 209-529-3 REACH-no: 01-2119532646- 36	< 15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
SODIUM HYDROXIDE	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	< 5	Skin Corr. 1A, H314
SODIUM HYPOCHLORITE	CAS-No.: 7681-52-9 EC-No.: 231-668-3 EC Index-No.: 017-011-00-1 REACH-no: 01-2119488154- 34	< 5	Skin Corr. 1B, H314 Aquatic Acute 1, H400

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
SODIUM HYDROXIDE	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	( 0,5 ≤C < 2) Eye Irrit. 2, H319 ( 0,5 ≤C < 2) Skin Irrit. 2, H315 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314
SODIUM HYPOCHLORITE	CAS-No.: 7681-52-9 EC-No.: 231-668-3 EC Index-No.: 017-011-00-1 REACH-no: 01-2119488154- 34	( 5 ≤C < 100) EUH031

Full text of H and EUH statements: see section 16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin

irritation or rash occurs: Get medical advice/attention. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Causes severe burns.
Symptoms/effects after eye contact : Serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : In case of fire, all extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering

the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Store in a well-ventilated place. Keep container tightly closed.

 $\begin{tabular}{ll} Incompatible products & : Strong acids. \\ Incompatible materials & : Metals. \\ Storage temperature & : 5 - 25 \ ^{\circ}C \ C^{0} \\ \end{tabular}$ 

Storage area : Store in a well-ventilated place. Special rules on packaging : Keep only in original container.

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

SODIUM HYDROXIDE (1310-73-2)	
France - Occupational Exposure Limits	
Local name	Hydroxyde de sodium
VME (OEL TWA)	2 mg/m³
Remark	Valeurs recommandées/admises
Portugal - Occupational Exposure Limits	
Local name	Hidróxido de sódio
OEL Ceiling	2 mg/m³
Spain - Occupational Exposure Limits	
Local name	Hidróxido de sodio
VLA-EC (OEL STEL)	2 mg/m³
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL	2 mg/m³

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

EN 374. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Nitrile rubber (NBR) /

#### 8.2.2.3. Respiratory protection

## Respiratory protection:

Wear appropriate mask

Respiratory protection			
Device Filter type Condition Standard		Standard	
	Type P2		

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless. light yellow.

Odour : Not available Odour threshold : Not available : Not available Melting point Freezing point : Not available Boiling point : Not available Not available Flammability **Explosive limits** Not available Lower explosion limit : Not available Upper explosion limit : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flash point : Not available
Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : 13,5
Viscosity, kinematic : Not available
Solubility : completely soluble.
Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available
Vapour pressure at 50 °C : Not available
Density : Not available
Relative density : 1,13

Relative vapour density at 20 °C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

No additional information available

## 10.3. Possibility of hazardous reactions

Strong acids.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

On exposure to high temperature, may decompose, releasing corrosive gases.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Alkaline cleaning agent Labkem Cleaner A102 for automatic washing, phosphate free, AUX		
LD50 oral rat	> 2000 mg/kg Potassium carbonate (584-08-7)	
LD50 oral	1100 mg/kg Sodium hypochlorite solution (7681-52-9)	
LD50 dermal rat	> 2000 mg/kg Sodium hypochlorite solution (7681-52-9)	
LC50 inhalation rat (mg/l)	> 10500 mg/l Sodium hypochlorite solution (7681-52-9)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Causes severe skin burns.

pH: 13,5

Serious eye damage/irritation : Assumed to cause serious eye damage

pH: 13,5

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified

## **POTASSIUM CARBONATE (584-08-7)**

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

#### 11.2. Information on other hazards

No additional information available

#### **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Alkaline cleaning agent Labkem Cleaner A102 for automatic washing, phosphate free, AUX		
LC50 - Fish [1] 68 mg/l Potassium carbonate (584-08-7)		
LC50 - Other aquatic organisms [1] 35 mg/l Sodium hydroxide (1310-73-2)		

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Ecology - waste materials : Avoid release to the environment.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1824

 UN-No. (IMDG)
 : UN 1824

 UN-No. (IATA)
 : UN 1824

 UN-No. (ADN)
 : UN 1824

 UN-No. (RID)
 : UN 1824

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM HYDROXIDE SOLUTION Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION

Proper Shipping Name (IATA) : Sodium hydroxide solution

Proper Shipping Name (ADN) : SODIUM HYDROXIDE SOLUTION Proper Shipping Name (RID) : SODIUM HYDROXIDE SOLUTION

Transport document description (ADR) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III, (E)
Transport document description (IMDG) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III

Transport document description (IATA) : UN 1824 Sodium hydroxide solution, 8, III

Transport document description (ADN) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III
Transport document description (RID) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8

8

#### IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



#### IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



## ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



#### 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : C5
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates

80 1824

Tunnel restriction code (ADR) : E EAC code : 2R

#### Transport by sea

Special provisions (IMDG) : 223 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : P001, LP01 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1 : F-A EmS-No. (Fire) : S-B EmS-No. (Spillage) Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless liquid. Colourless liquid. Reacts with ammonium salts, evolving ammonia

gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

#### Air transport

PCA Excepted quantities (IATA) : E1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA Limited quantities (IATA)	:	Y841
PCA limited quantity max net quantity (IATA)	:	1L
PCA packing instructions (IATA)	:	852
PCA max net quantity (IATA)	:	5L
CAO packing instructions (IATA)	:	856
CAO max net quantity (IATA)	:	60L
Special provisions (IATA)	:	АЗ
ERG code (IATA)	:	8L

#### Inland waterway transport

Classification code (ADN) : C5
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : C5
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REA	EU restriction list (REACH Annex XVII)	
Reference code	Applicable on	
3.	SODIUM HYPOCHLORITE	
3(b)	Alkaline cleaning agent Labkem Cleaner A102 for automatic washing, phosphate free, AUX; POTASSIUM CARBONATE; SODIUM HYPOCHLORITE	
3(c)	SODIUM HYPOCHLORITE	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Detergent Regulation : Ingredient data sheet:		
Component CAS-No. %		
POTASSIUM CARBONATE	584-08-7	≥10%
SODIUM HYDROXIDE	1310-73-2	1 - 10%
SODIUM HYPOCHLORITE	7681-52-9	1 - 10%

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 65	Eczematiform lesions of allergic mechanism

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed : None of the components are listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Ontwikkeling

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland
Storage class (LK) : LK 8 - Corrosive materials

## 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
EUH031	Contact with acids liberates toxic gas.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Irrit. 2 Skin corrosion/irritation, Category 2	
STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.